

CERTIFICATE OF ANALYSIS

Project: CBD **Customer ID:** 86807921 **Harvest/Extract Lot:** CTK-110118
Order ID: 2018000409 **Customer Name:** Can-Tek **Harvest/Extract Date:** 11/01/2018

Cultivar (Strain): 250mg **Lab ID:** 2018000990 **Sample Matrix:** Oil/Tincture
Sample Date: 12/04/2018 **Date Received:** 12/04/2018 **Date Completed:** 12/07/2018

Remarks: 250mg (60mL)

Analysis Date/Time: 12-05-2018 1619 **Method:** HPLC/UV **Moisture Content (%):** -
Analyst: **Instrument:** Agilent 1100 **Water Activity (aw):** - at - °C

<u>Cannabinoid</u>	<u>Result</u> <u>(%)</u>	<u>Result</u> <u>(mg/mL)</u>	<u>Reporting Limit</u> <u>(mg/mL)</u>	<u>Per Unit</u> <u>(mg)</u>
CBD	0.387	3.87	0.05	232
CBDa	<RL	<RL	0.05	-
CBDv	0.0055	0.055	0.05	3.28
Δ9-THC	<RL	<RL	0.05	-
Δ8-THC	<RL	<RL	0.05	-
THCa	<RL	<RL	0.05	-
CBC	<RL	<RL	0.05	-
CBG	0.0097	0.097	0.05	5.84
CBGa	<RL	<RL	0.05	-
CBN	<RL	<RL	0.05	-
TOTAL	0.805	4.02		241




UNIT VOLUME (mL): 60.0

TOTAL THC <RL <RL -
TOTAL CBD 0.387 3.87 232

Deviations from standard operating procedure: None

Cannabinoid Distribution

(% of Total Cannabinoids)



Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total THC = (THCa x 0.877) + Δ9-THC
Total CBD = (CBDa x 0.877) + CBD

Percentage results are reported by mass.
mg/g results are reported as mass component per mass material.

Abbreviations: UV - Ultraviolet, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation

This information is provided as a service and makes no claims of efficacy and/or safety of this product.
Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.
This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.
The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director